

Real4Exams

Real4exams

Latest updated materials, Daily Updates!



ORACLE®



<http://www.real4exams.com>

Real IT Certification Exam Study guide/Braindumps

Exam : **C-TADM-21**

Title : SAP Certified Technology
Associate - SAP S/4HANA
System Administration

Vendor : SAP

Version : DEMO

NO.1 Which app types need SAP HANA as system database? Note: There are 2 correct answers to this question.

- A. Analytical apps
- B. Transactional apps
- C. Classic applications
- D. Fact sheet apps

Answer: A,B

NO.2 You want to configure the transport domain for the transport of AS Java-based SAP systems (for example SAP Enterprise Portal). Which entry type do you create for these systems in the System Overview area of the Transport Management System (transaction STMS)?

- A. Non-ABAP System
- B. Java Stack Configuration
- C. External System
- D. Virtual System

Answer: A

NO.3 In an AS ABAP-based SAP system, a user performs the second dialog step in a dialog transaction.

The dialog work process used in the first dialog step is occupied by a different user. What happens with this second user request?

- A. The dialog work process that handled the first dialog step performs a rollout to handle the request.
- B. The request remains in the request queue until the dialog work process that handled the first dialog step is free again.
- C. The request is processed by a different free dialog work process.
- D. The request is processed asynchronously by an update work process.

Answer: C

NO.4 What is the purpose of the SAP HANA secure user store (hdbuserstore)? Note: There are 2 correct answers to this question.

- A. To store connection information on the SAP HANA XS advanced engine
- B. To configure failover support in a 3-tier scenario
- C. To store connection information on the SAP HANA database client
- D. To configure an SAP HANA auto-restart for fault recovery

Answer: B,C

NO.5 You are working in an AS ABAP-based SAP system that runs on Linux. here is the spool data stored when you use the value 'G' for the profile parameter rspo/store_location?

- A. /usr/sap/<SID>/D<nn>/data
- B. /usr/sap/<SID>/sys/profile
- C. /usr/sap/<SID>/sys/global
- D. /usr/sap/<SID>/D<nn>/work

Answer: C